

# Moore 353 Process Automation Controller Model Selection (Design Level "B")

Model No. TGX:3 5 3							
<b>MPU Controller Board</b>							
120/240 Vac (85-264 Vac), 47-63 Hz	A						
24 Vdc, +20%, -15%	D						
<b>Mounting Case</b>							
Case with 52 Terminals and Ethernet Connector		4					
High Shock and Vibration Case with Ethernet Connector (Requires Electrical Approval "N Not Required")		5					
<b>Operators Display Panel</b>							
Fixed Analog and Digital Displays			F				
<b>I/O Expansion</b>							
Not Required				N			
Local I/O Expander (e.g., TC, RTD, Freq, Relay)				1			
<b>MultiMediaCard</b>							
Not Required					N		
MMC					C		
<b>Modification Options</b>							
Not Required						N	
Controller Modified as detailed in order Bill of Material						X	
<b>Design Level</b>							
Design Level 'B'							B
<b>Electrical Approval</b>							
Not Required							N
FM-CSA Division 2 Class 1 Groups A, B, C and D suitable for non-incendive (CE compliant)							4
FM/CSA Division 2 Class 1 Groups A, B, C and D suitable for non-incendive (CE Compliant and ABS approved)							W
FM/CSA Division 2 Class 1 Groups A, B, C and D suitable for non-incendive							X
Model No. TGX:3 5 3							
Example: TGX:3 5 3	A	4	F	N	N	N	N

Please let us know the exact model you require. We can often customize units for your specific needs.



Classic Automation LLC  
 800 Salt Road  
 Webster, NY 14580  
 USA

[www.classicautomation.com](http://www.classicautomation.com)

+1 (585) 241-6010

[customerservice@classicautomation.com](mailto:customerservice@classicautomation.com)